




MODELS:
E51ALS16PC
E51ALS26PC
E51ALS56PC
E51ALS66PC



[10-32] TAP
0.38 (9.65)
DEEP 2 HOLES
FOR REAR
MOUNTING



1 Can accommodate both U.S. 1.16 [29.4] x 2.34 [59.5] and
DIN 1.18 [30] x 2.36 [60], mounting dimensions.

PROPRIETARY NOTICE NOTICE TO ALL PERSONS RECEIVING THIS INFORMATION: THE INFORMATION DISCLOSED HEREIN IS THE PROPERTY OF EATON CORPORATION. IT IS TO BE KEPT IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, DISCLOSED OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF EATON CORPORATION. COPYRIGHT © EATON CORPORATION. ALL RIGHTS RESERVED.										UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMAL: .01 ANGULAR: ± .30° XXX ± .005 .XXX ± .001 MFG MATT: OTHER OTHER										DWN H. WEYMOUTH DATE 04/22/2014 CHK ENG MFG OTHER OTHER										1930 220TH ST SE SUITE 101 BOOTHILL WA 98021 (425) 482-5000									
E51 Plug-In Inductive Proximity Sensors										DRAWING NO. 90-28375-024										REV 01																			
THIRD ANGLE PROJECTION										FINISH: SCALE: 1 OF 1										SIZE: A																			
TO BE INSPECTED										OTHER										REV																			
CRITICAL DIMENSION										OTHER										REV																			
DATE										REV										REV																			